Biopolymers

Contents

Volume 29, 1990

Issue 1, January 1990

Editor's Note / i

Dedication / iii

Side-Chain Interactions in the C-Peptide Helix: Phe 8 $\cdots$ His 12^{+} / 1
K. R. Shoemaker, R. Fairman, D. A. Schultz, A. D. Robertson, E. J. York, J. M. Stewart, and R. L. Baldwin

Structural and Electrostatic Effects on Binding of Trivalent Cations to Double-Stranded and Single-Stranded Poly[d (AT)] / 13
G. E. Plum and V. A. Bloomfield

Comparative Gel Electrophoresis Measurement of the DNA Bend Angle Induced by the Catabolite Activator Protein / 29
S. S. Zinkel and D. M. Crothers

Autoxidation of Ascorbic Acid Catalyzed by a Semisynthetic Enzyme / 39
J. P. Germanas and E. T. Kaiser

Structure and Conformation of the Nitroxyl Spin-Label Ethyl 3-(2,2,5,5-Tetramethylpyrrolinyl-1-Oxyl)-Propen-2-Oate Determined by Electron Nuclear Double Resonance: Comparison with the Structure of a Spin-Label Substrate of Carboxypeptidase A / 45
D. Mustafi, W.E. Boisvert, and M. W. Makinen

Anisotropy of the Fluorescence from the Monomer, Five Oligomers, and a Polymer of Epicatechin / 57
D. Cho, W. L. Mattice, and L. J. Porter

Synthesis of Analogues of Peptide YY with Modified N-Terminal Regions: Relationships of Amphiphilic Secondary Structures and Activity in Rat Vas Deferens / 61
H. Minakata and T. Iwashita

Structural Dependence of Oligonucleotide Photooxidation / 69
S. E. Rokita, B. Lau, and L. Romero-Fredes

Synthesis and Structural Stability of Helichrome as an Artificial Hemeproteins / 79
T. Sasaki and E. T. Kaiser

Conformation-Activity Relationships of Cyclic Dermorphin Analogues / 89
B. C. Wilkes and P. W. Schiller

Inhibition of Protein Kinase C and Calmodulin by the Geometric Isomers *Cis-* and *Trans-*Tamoxifen / 97
C. A. O'Brian, C. G. Ioannides, N. E. Ward, and R. M. Liskamp

Use of *t*-Butyldimethylsilyl Cyanoacetate for Preparation of α-Cyano Ketones / 105
S. S. Ghosh

Z-RNA: The Solution NMR Structure of r(CGCGCG) / 109
P. W. Davis, R. W. Adamiak, and I. Tinoco, Jr.

Conformational Analysis of the Immunodominant Epitopes of the Circumsporozoite Protein of *Plasmodium falciparum* and *knowlesi* / 123
G. D. Fasman, K. Park, and D. H. Schlesinger

Inactivation of the Catalytic Subunit of Bovine cAMP-Dependent Protein Kinase by a Peptide-Based Affinity Inactivator / 131
S. Mobashery, M. Doughty, and E. T. Kaiser

A Comparative Analysis of Single- and Multiple-Residue Substitutions in the Alkaline Phosphatase Signal Peptide / 139
D. A. Kendall, S. K. Doud, and E. T. Kaiser

Conformations of Proline Residues in Membrane Environments / 149
C. M. Deber, M. Glibowicka, and G. A. Woolley

Construction, Expression, and Preliminary Characterization of Chimeric Class μ Glutathione S-Transferases with Altered Catalytic Properties / 159
P. Zhang and R. N. Armstrong

The Most Highly Amphiphilic α-Helices Include Two Amino Acid Segments in Human Immunodeficiency Virus Glycoprotein 41 / 171
D. Eisenberg and M. Wesson

Enkephalin Analogs Containing β-Naphthylalanine at the Fourth Position / 179
D. F. Mierke, O. E. Said-Nejad, P. W. Shiller, and M. Goodman

SV40 Large T-Antigen Nuclear Signal Analogues: Successful Nuclear Targeting with Bovine Serum Albumin but Not Low Nuclear Molecular Weight Fluorescent Conjugates / 197
T. J. Lobl, M. A. Mitchell, and L. L. Maggiora

Conformationally Constrained α-Helical Peptide Models for Protein Ion Channels / 205
W. F. DeGrado and J. D. Lear

Fluctuation and Linkage Relations in Macromolecular Solution / 215
J. A. Schellman

Applications of Simulated Annealing to Peptides / 225
S. R. Wilson and W. Cui

Synthetic Probes for the α-Factor Receptor / 237
F. Naider, A. Yaron, A. Ewenson, M. Tallon, C.-B. Xue, J. V. Srinivasan, E. Eriotou-Bargiota, and J. M. Becker

Synergism Through Direct Covalent Bonding Between Agents: A Strategy for Rational Design of Chemotherapeutic Combinations / 247
D. Rideout, T. Calogeropoulou, J. Jaworski, and M. McCarthy

Cyclic Pentapeptides as Models for Reverse Turns: Determination of the Equilibrium Distribution Between Type I and Type II Conformations of Pro-Asn and Pro-Ala β-Turns / 263
S. J. Stradley, J. Rizo, M. D. Bruch, A. N. Stroup, and L. M. Gierasch

Fourier Transform Infrared Spectroscopy for the Characterization of a Model Peptide–DNA Interaction / 289
S. B. Dev and L. Walters

Issue 2, February 1990

Resolution Power of Regularization Algorithm for Binary Systems in Dynamic Light Scattering / 303
A. A. Timchenko, N. B. Griko, and I. N. Serdyuk

Far-UV CD Spectroscopy, IR Spectroscopy, and Immunological Properties of Synthetic Peptides, Including an Amphipathic α-Helical Peptide from Bovine Phospholipase A_2 / 311
G. Osthoff and A. J. Nel

The Vacuum UV CD Bands of Repeating DNA Sequences Are Dependent on Sequence and Conformation / 317
D. M. Gray, K. H. Johnson, M. R. Vaughan, P. A. Morris, J. C. Sutherland, and R. L. Ratliff

A · U and G · C Base Pairs in Synthetic RNAS Have Characteristic Vacuum UV CD Bands / 325
K. H. Johnson, D. M. Gray, P. A. Morris, and J. C. Sutherland

Small-Angle Neutron Scattering Study of the Structure of Protein/Detergent Complexes / 335
X. H. Guo, N. M. Zhao, S. H. Chen, and J. Teixeira

Structural Analysis of Purified Human Tracheobronchial Mucins / 347
R. Gupta, N. Jentoft, A. M. Jamieson, and J. Blackwell

Structural and Dynamics of M13mp19 Circular Single-Strand DNA: Effects of Ionic Strength / 357
D. H. Wilson, H. L. Price, J. Henderson, S. Hanlon, and A. S. Benight

Range of the Influence of the Carbohydrate Moiety on the Conformation of the Poly(Amino Acid) Backbone in Glycosylated Mucins / 377
N. Tanpipat and W. L. Mattice

CD of the Synthetic RNA Duplexes Poly[r(A-T)] and Poly[r(A-U)] in Salt and Ethanolic Solutions / 385
M. Vorličkova, J. Kypr, T. M. Jovin, and M. Planck

Electrostatic Forces at Helix–Coil Boundaries in DNA / 393
R. D. Blake and S. G. Delcourt

Synthesis and Conformational Studies by ^{1}H- and ^{13}C-NMR Spectroscopy of a Novel, Sterically Constrained Analogue of Thyrotropin-Releasing Hormone / 407
C. Mapelli, H. Van Halbeek, and C. H. Stammer

^{17}O- and ^{14}N-NMR Studies of Leu-Enkephalin and Enkephalin-Related Fragments in Aqueous Solution / 423
T. Karayannis, I. P. Gerothanassis, M. Sakarellos-Daitsiotis, C. Sakarellos, and M. Marraud

Light Scattering Studies of the Effect of Ca^{2+} on the Structure of Porcine Submaxillary Mucin / 441
B. K. Varma, A. Demers, A. M. Jamieson, J. Blackwell, and N. Jentoft

Temperature Dependence of Enthalpy Changes for Ethidium and Propidium Binding to DNA: Effect of Alkylamine Chains / 449
H. P. Hopkins, Jr., J. Fumero, and W. D. Wilson

Assignment of the ^{13}C-NMR Spectra of Virgin and Reactive-Site Modified Turkey Ovomucoid Third Domain / 461
A. D. Robertson, G. I. Rhyu, W. M. Westler, and J. L. Markley

Issue 3, February 15, 1990

Assessment of Protein Reorientation Diffusion in Solution by ^{13}C Off-Resonance Rotating Frame Spin–Lattice Relaxation: Effect of Anisotropic Tumbling / 469
C. F. Morgan, T. Schleich, G. H. Caines, and D. Michael

A Unique Binding Cavity for Divalent Cations in the DNA–Metal–Chromomycin A_3 Complex / 481
L. Itzhaki, S. Weinberger, N. Livnah, and E. Berman

Electrophoresis and Movements of Fluorescence Pattern After Photobleaching of Large DNA Fragments in Agarose Gels / 491
C. Wu, Z. Wang, B. Chu

Assessment of Protein Reorientational Diffusion in Solution by ^{13}C Off-Resonance Rotating Frame Spin–Lattice Relaxation: Effect of Polydispersity / 501
C. F. Morgan, T. Schleich, and G. H. Caines

Synthesis, Crystal Structure, and Molecular Conformation of Peptide N-Boc-L-Pro-Dehydro-Phe-L-Gly-OH / 509
H. C. Patel, T. P. Singh, V. S. Chauhan, and P. Kaur

Simulations of the B-DNA Molecular Dynamics of $d(CGCGAATTCGCG)_2$ and $d(GCGCGCGCGC)_2$: An Analysis of the Role of Initial Geometry and a Comparison of United and All-Atom Models / 517
S. N. Rao and P. Kollman

X-Ray Studies on Crystalline Complexes Involving Amino Acids and Peptides. XVII. Chirality and Molecular Aggregation: The Crystal Structures of DL-Arginine DL-Glutamate Monohydrate and DL-Arginine DL-Aspartate / 533
J. Soman, M. Vijayan, B. Ramakrishnan, and T. N. Guru Row

Kinetics of Cooperative Ligand–Lattice Binding: Fast Monte Carlo Integration / 543
J. Reiter and I. R. Epstein

Biodegradation of Copoly(L-Aspartic Acid/L-Glutamic Acid) in Vitro / 549
T. Hayashi and M. Iwatsuki

The Elastic Modulus of Fibrin Clots and Fibrinogen Gels: The Effect of Fibronectin and Dithiothreitol / 559
R. Procyk and R. G. King

Solvent Effects on Protein Association and Protein Folding / 567
A. Ben-Naim

Computational Analysis of the Effects of Site-Specific Phosphate Alkylation in the DNA Oligomer $\{d\text{-}[GGAATTCC]\}_2$ / 597
M. S. Broido and M. Mezei

Melanin-Concentration Hormone: A Structural and Conformational Study Based on Synthesis, Biological Activity, High-Field NMR, and Molecular Modeling Techniques / 609
D. W. Brown, M. M. Campbell, R. G. Kinsman, P. D. White, C. A. Moss, D. J. Osguthorpe, P. K. C. Paul, and B. I. Baker

Accessible Conformations of Melanin-Concentrating Hormone: A Molecular Dynamics Approach / 623
P. K. C. Paul, P. Dauber-Osguthorpe, M. M. Campbell, D. W. Brown, R. G. Kinsman, C. Moss, and D. J. Osguthorpe

RESEARCH COMMUNICATIONS

Thermal Behavior of the 760-nm Absorption Band in Photodissociated Sperm Whale Carbonmonoxymyoglobin at Cryogenic Temperature: Dependence on External Medium / 639
L. Cordone, A. Cupane, M. Leone, and E. Vitrano

Issue 4/5, March/April 1990

Motions of an α-Helical Polypeptide: Comparison of Molecular and Harmonic Dynamics / 645
D. Perahia, R. M. Levy, and M. Karplus

The Program FANTOM for Energy Refinement of Polypeptides and Proteins Using a Newton–Raphson Minimizer in Torsion Angle Space / 679
T. Schaumann, W. Braun, and K. Wüthrich

Restrained Energy Refinement with Two Different Algorithms and Force Fields of the Structure of the α-Amylase Inhibitor Tendamistat Determined by NMR in Solution / 695
M. Billeter, T. Schaumann, W. Braun, and K. Wüthrich

UV Resonance Raman Spectroscopy of Nucleic Acid Duplexes Containing A-U and A-T Base Pairs / 707
C. A. Grygon and T. G. Spiro

Free Energy Calculation on Base Specificity of Drug–DNA Interactions: Application to Daunomycin and Acridine Intercalation into DNA / 717
P. Cieplak, S. N. Rao, P. D. J. Grootenhuis, and P. A. Kollman

Influence of Solvent Composition on the Mechanical Properties of Aterial Elastin / 729
C. P. Winlove and K. H. Parker

Study of Large DNA Fragments in Agarose Gels by Transient Electric Birefringence / 737
B. Chu, Z. Wang, R. Xu, and M. Lalande

Induction of CD in Some Anionic Dyes by Cationic Chitosan / 751
M. K. Pal and P. K. Pal

The Influence of Li^+, Na^+, Mg^{2+}, Ca^{2+}, and Zn^{2+} Ions on the Hydrogen Bonds of the Watson–Crick Base Pairs / 757
E. H. S. Anwander, M. M. Probst, and B. M. Rode

A Monte Carlo Simulation Study of the Aqueous Hydration of $r(GpC)_2$: Comparison with Crystallographic Ordered Water Sites / 771
P. S. Subramanian, S. Pitchumani, D. L. Beveridge, and H. M. Berman

The Binding of Substituted *cis*-Pt(II)-Diammines to Duplex DNA / 785
S. L. McCarthy, R. J. Hinde, K. J. Miller, J. S. Anderson, H. Basch, and M. Krauss

Energetics of Intrachain Salt-Linkage Formation in Collagen / 791
E. P. Katz and C. W. David

Molecular Dynamics Simulations and the Conformational Mobility of Blood Group Oligosaccharides / 799
Z.-Y. Yan and C. A. Bush

^{1}H-NMR Stereospecific Assignments by Conformational Data-base Searches / 813
M. Nilges, G. M. Clore, and A. M. Gronenborn

Theoretical Studies of *cis*-Pt(II)-Diammine Binding to Duplex DNA / 823
S. L. McCarthy, R. J. Hinde, K. J. Miller, J. S. Anderson, H. Basch, and M. Krauss

Pressure-Induced Reversible Changes in Secondary Structure of Poly(L-Lysine): An IR Spectroscopic Study / 837
D. Carrier, H. H. Mantsch, and P. T. T. Wong

Synthetic Fragments and Analogues of Elastin. I. The Synthesis / 845
V. Guantieri, S. Grando, L. Pandolfo, and A. M. Tamburro

Synthetic Fragments and Analogues of Elastin. II. Conformational Studies / 855
A. M. Tamburro, V. Guantieri, L. Pandolfo, and A. Scopa

Issue 6/7, May/June 1990

Reexamination of the Polymerization of Pyridoxylated Hemoglobin with Glutaraldehyde / 871
M. A. Marini, G. L. Moore, S. M. Christensen, R. M. Fishman, R. G. Jessee, F. Medina, S. M. Snell, and A. I. Zegna

Computer Simulation of Hydrodynamic Properties of Semiflexible Macromolecules: Randomly Broken Chains, Wormlike Chains, and Analysis of Properties of DNA / 883
J. J. Garcia Molina, M. C. Lopez Martinez, and J. Garcia de la Torre

Solvent Effect on Binding Thermodynamics of Biopolymers / 901
A. Ben-Naim, K. L. Ting, and R. L. Jernigan

Environmental Control of Reactions: Influence of Poly(Glutamate) on the Reactivity of Cysteine-Quaterpyridineiron (III) Mixtures / 921
G. Paradossi, A. Palleschi, A. Desideri, and B. Pispisa

Synthesis, Crystal Structure, and Molecular Conformation of N-Boc-L-Phe-Dehydro-Leu-L-Val-OCH_3 / 935
P. Narula, H. C. Patel, T. P. Singh, and V. S. Chauhan

A Conformational Comparison of Two Stereoisomeric Cyclic Dermorphin Analogues Employing NMR and Computer Simulations / 943
D. F. Mierke, P. W. Schiller, and M. Goodman

Determination of Solution Conformation of DNA Backbone: Application of Homonuclear (J, δ) Spectroscopy / 953
R. V. Hosur, K. V. R. Chary, A. Saran, G. Govil, and H. T. Miles

Disaccharide Conformational Flexibility. I. An Adiabatic Potential Energy Map for Sucrose / 961
V. H. Tran and J. W. Brady

Disaccharide Conformational Flexibility. II. Molecular Dynamics Simulations of Sucrose / 977
V. H. Tran and J. W. Brady

IR and Raman Spectroscopic Studies on Coulombic Interaction Between Water-Soluble Porphyrins and Nucleic Acids / 999
Y. Nonaka, D. S. Lu, A. Dwivedi, D. P. Strommen, and K. Nakamoto

The Interaction of Cyclosporin and Calmodulin / 1005
R. F. Steiner and S. Albaugh

The Relative Contribution of Electrostatic Interactions to Stabilization of Collagen Fibrils / 1015
D. G. Wallace

A Molecular Dynamics Simulation of the $(dG)_6 \cdot (dC)_6$ Minihelix Including Counterions and Water / 1027
T. J. Zielinski and M. Shibata

α-Helix to Random Coil Transitions of Two-Chain Coiled Coils: Experiments on the Thermal Denaturation of ββ Tropomyosin Cross-Linked Selectively at C36 / 1045
M. E. Holtzer, W. C. Bracken, and A. Holtzer

Structure of Benzyloxycarbonyl-L-alanyl-α-Aminoisobutyl-α-Aminoisobutylic Acid / 1057
T. Taga, M. Itoh, K. Machida, T. Fujita, and T. Ichihara

Reversibility of Acid Denaturation of Recombinant Interferon-γ / 1065
T. Arakawa, Y.-R. Hsu, M. A. Narachi, C. Herrera, M. F. Rohde, and P. Hennigan

$A\bar{V}^0$ of the Na^+-Induced B-Z Transition of Poly[d(G-C)] is Positive / 1069
R. B. MacGregor Jr. and M. Y. Chen

An Ellipticine Derivative (Oxazolopyridocarbazolium)3′ Linked to Tetrathymidylate Stacks Intramolecularly with the Nearest Thymine at Low Concentration and Head-to-Tail Intermolecularly at High Concentration / 1077
D. Bazile, E. Guittet, J.-M. Piriou, M. Lebret, and J. Paoletti

Inclusion of Ionic Interactions in Force Field Calculations of Charged Biomolecules—DNA Structural Transitions / 1089
R. Klement, D. M. Soumpasis, E. V. Kitzing, and T. M. Jovin

The Equilibrium Partition Function and Base Pair Binding Probabilities for RNA Secondary Structure / 1105
J. S. McCaskill

RESEARCH COMMUNICATION

The Photoresponse of an Azobenzene-Containing Poly(L-Lysine) in the Monolayer State / 1121
B. R. Malcolm and O. Pieroni

Issue 8/9, July/August 5, 1990

X-Ray Diffraction Studies on the Cross-β Form of Poly (O-benzyl-L-Serine) / 1125
Y. Takeda

Analysis of Parameter Resolution from Derivatives of Binding Isotherms / 1129
M. L. Doyle, J. H. Simmons, and S. J. Gill

Contribution of Asymmetric Ligand Binding to the Apparent Permanent Dipole Moment of DNA / 1137
G. E. Plum and V. A. Bloomfield

The Effects of Hydration on the Dynamic Mechanical Properties of Elastin / 1147
M. A. Lillie and J. M. Gosline

Theory for the Extension of a Linear Polyelectrolyte Attached at One End in an Electric Field / 1161
J. M. Schurr and S. B. Smith

Electrophoretic Charge Density and Persistence Length of DNA as Measured by Fluorescence Microscopy / 1167
S. B. Smith and A. J. Bendich

The Thermodynamics of Hydrogen Isotope Exchange in Lysozyme: The Influence of Glycerol / 1175
R. B. Gregory, A. Rosenberg, D. Knox, and A. J. Percy

Microwave Dielectric Study on Hydration of Moist Collagen / 1185
N. Shinyashiki, N. Asaka, S. Mashimo, S. Yagihara, and N. Sasaki

The Calculated Free Energy Effects of 5-Methyl Cytosine on the B to Z Transition in DNA / 1193
D. A. Perlman and P. A. Kollman

Intramolecular Interference Effects in Dynamic Light Scattering: Rigid Double Spirals and Superhelical DNAs / 1211
P. Wu, L. Song, and J. M. Schurr

Modeling Cation-Driven (Proto) Fibrin Coagulation / 1233
G. Marx

Solvent Effect on the Conformation of the Hydroxymethyl Group Established by Molecular Dynamics Simulations of Methyl-β-D-Glucoside in Water / 1243
L. M. J. Kroon-Batenburg and J. Kroon

Excimer Fluorescence of (+)-*anti*-Benzo(*a*)pyrene Diol Epoxide Covalently Bound to Poly(dG-dC): Structural Implications / 1249
M. Eriksson, S. Eriksson, B. Nordén, B. Jernström, and A. Gräslund

B to Z Transition in Poly(dG-dC) Modified with Benzo(*a*)pyrene Diol Epoxides Studied with Polarized Light Spectroscopy / 1261
M. Eriksson, B. Nordén, B. Jernström, and A. Gräslund

The Sieving of Rod-Shaped Viruses During Agarose Gel Electrophoresis. I. Comparison with the Sieving of Spheres / 1277
G. A. Griess, E. T. Moreno, R. Herrmann, and P. Serwer

Stabilization of Helical Structure in Two 17-Residue Amphipathic Analogues of the C-Terminal Peptide of Cytochrome C / 1289
J. F. Collawn and Y. Paterson

Conformational Studies of Nikkomycin X in Aqueous Solution / 1297
E. Krainer, F. Naider, and J. M. Becker

Binding of *meso*-Tetrakis(*N*-Methylpyridiniumyl)Porphyrin Isomers to DNA: Quantitative Comparison of the Influence of Charge Distribution and Copper(II) Derivatization / 1307
J. A. Strickland, L. G. Marzilli, and W. D. Wilson

RESEARCH COMMUNICATION

An X-Ray Diffraction Study of Agarose Gel as a Function of Concentration / 1325
T. K. Attwood and D. B. Sellen

ERRATUM

Erratum: Association Kinetics of Site-Specific Protein-DNA Interactions: Roles of Nonspecific DNA Sites and of the Molecular Location of the Specific Site / 1329
S. J. Mazur and M. T. Record, Jr.

Issue 10/11, August 15/September 1990

The Irreversible Binding of 2-Site Ligands to Heterogeneous Polymers / 1331
M. F. Schumaker and I. R. Epstein

Analysis of the Charge Distribution in the C-Terminal Region of Histone H1 as Related to Its Interaction with DNA / 1351
J. A. Subirana

Viscoelastic Properties of Solutions of Ovine Submaxillary Mucin / 1359
L. M. Soby, A. M. Jamieson, J. Blackwell, and N. Jentoft

Alanyl Dipeptide Potential-Derived Net Atomic Charges and Bond Dipoles, and Their Variation with Molecular Conformation / 1367
D. E. Williams

Conformational Studies of Cyclic Peptide Structures in Solution from ^{1}H-Nmr Data by Distance Geometry Calculation and Restrained Energy Minimization / 1387
H. Senn, H.-R. Loosli, M. Sanner, and W. Braun

Self-Assembly of a Bioelastomeric Structure: Solution Dynamics and the Spinodal and Coacervation Lines / 1401
F. Sciortino, D. W. Urry, M. U. Palma, and K. U. Prasad

Langevin Modes of Macromolecules: Applications to Crambin and DNA Hexamers / 1409
J. Kottalam and D. A. Case

Secondary-Structure Dependent Chemical Shifts in Proteins / 1423
M. P. Williamson

Peptide Design: Influence of a Guest Aib-Pro Segment on the Stereochemistry of an Oligo-Val Sequence—Solution Conformations and Crystal Structure of Boc-$(Val)_2$-Aib-Pro-$(Val)_3$-OMe / 1433
I. L. Karle, J. L. Flippen-Anderson, K. Uma, H. Balaram, and P. Balaram

Physicochemical Studies on Tomato Bushy Stunt Virus Variants / 1443
A. D. Molina-Garcia, S. E. Harding, and R. R. S. Fraser

Structural Principles of B-DNA Grooves Hydration in Fibers as Revealed by Monte Carlo Simulations and X-Ray Diffraction / 1453
F. Eisenhaber, J. H. Mannik, and V. G. Tumanyan

Adenine and Guanine 8CH Exchange in Nucleic Acids: Resolution and Measurement by Raman Optical Multichannel Analysis / 1465
O. P. Lamba, R. Becka, and G. J. Thomas, Jr.

A 1.8 Å Resolution Potential Function for Protein Folding / 1479
G. M. Crippen and M. E. Snow

RESEARCH COMMUNICATIONS

Photoelectron Imaging of DNA / 1491
O. H. Griffith, D. L. Habliston, G. B. Birrell, and E. Schabtach

Spermine Induces the B-Z Transition of Poly(dG-dC) in 5% Ethanol and Dioxane / 1495
M. V. R. Rao, M. Atreyi, and S. Saxena

Conformation of Cyclolinopeptide Dihydrate: An Antamanide Analogue / 1499
B. S. Neela, M. V. Manjula, S. Ramakumar, D. Balasubramanian, and M. A. Viswamitra

Issue 12/13, October/November 1990

Block-Units Method for Conformational Calculations of Large Nucleic Acid Chains. I. Block-Units Approximation of Atomic Structure and Conformational Energy of Polynucleotides / 1503
Yu. N. Vorobjev

Block-Units Method for Conformational Calculations of Large Nucleic Acid Chains. II. The Two-Hierarchical Approach and Its Application to Conformational Arrangement of the Unusual TψC Loop of Rabbit $tRNA^{Val}$ / 1519
Yu. N. Vorobjev

Theoretical Studies on the Conformation of Saccharides. XIV. Structure and Conformational Properties of the Glycosylamines / 1531
T. Kožár and I. Tvaroška

Binding of Cationic Dyes to Potassium Alginate: A Spectrophotometric and Dichroic Probe / 1541
M. K. Pal and N. Mandal

Cooperativity of Carbohydrate Moiety Orientation and β-Turn Stability is Determined by Intramolecular Hydrogen Bonds in Protected Glycopeptide Models / 1549
M. Hollosi, A. Perczel, and G. D. Fasman

The Sampling Properties of Some Distance Geometry Algorithms Applied to Unconstrained Polypeptide Chains: A Study of 1830 Independently Computed Conformations / 1565
T. F. Havel

Viscoelastic and Rheological Properties of Concentrated Solutions of Proteoglycan Subunit and Proteoglycan Aggregate / 1587
L. Soby, A. M. Jamieson, J. Blackwell, H. U. Choi, and L. C. Rosenberg

Thermodynamics of Solvation of Proteins in Guanidine Hydrochloride / 1593
F. Ahmad and C. C. Bigelow

Analysis of Fructofuranose Conformations by Molecular Mechanics / 1599
A. D. French and V. Tran

A Molecular Dynamics Investigation of the Elastomeric Restoring Force in Elastin / 1613
Z. R. Wasserman and F. R. Salemme

Depsipeptide Analogues of Elastin Repeating Sequences: Synthesis / 1633
O. Arad and M. Goodman

Depsipeptide Analogues of Elastin Repeating Sequences: Conformational Analysis / 1651
O. Arad and M. Goodman

On the Dependence of Molecular Conformational on the Type of Solvent Environment: A Molecular Dynamics Study of Cyclosporin A / 1669
J. Lautz, H. Kessler, W. F. Van Gunsteren, H.-P. Weber, and R. M. Wenger

Issue 14, December 1990

Distinct Gelation Mechanism between Linear and Branched (1 → 3)-β-D-Glucans as Revealed by High-Resolution Solid-State ^{13}C NMR / 1689
H. Saitô, Y. Yoshioka, M. Yokoi, and J. Yamada

Differential Scanning Calorimetry Studies of the Inverse Temperature Transition of the Polypentapeptide of Elastin and Its Analogues / 1699
C.-H. Luan, R. D. Harris, K. U. Prasad, and D. W. Urry

Viscoelastic Properties of Alginate Aqueous Solutions in the Presence of Salts / 1707
T. Matsumoto and K. Mashiko

Analysis of Melting Transitions of the DNA Hairpins Formed from the Oligomer Sequences d[GGATAC(X)$_4$GTATCC] (X = A,T,G,C) / 1715
T. M. Paner, M. Amaratunga, M. J. Doktycz, and A. S. Benight

Linear Dichroism Characteristics of Ethidium– and Proflavine–Supercoiled DNA Complexes / 1735
C. E. Swenberg, S. E. Carberry, and N. E. Geacintov

Statistical Descriptors for the Size and Shape of Globular Proteins / 1745
C. Abad-Zapatero and C. T. Lin

Determining Minimum Energy Conformations of Polypeptides by Dynamic Programming / 1755
S. Vajda and C. Delisi

Normal Mode Theory for the Brownian Dynamics of a Weekly Bending Rod: Comparison with Brownian Dynamics Simulations / 1773
L. Song, S. A. Allison, and J. M. Schurr

A Ligand Binding Model of Counterion Condensation to Finite Length Polyelectrolytes / 1793
T. G. Dewey

Structural Effects of Hydration: Studies of Lysozyme by ^{13}C Solids NMR / 1801
S. D. Kennedy and R. G. Byrant

Analysis of Side-Chain Conformational Distributions in Neutrophil Peptide-5 NMR Structures / 1807
D. Kominos, D. A. Bassolino, R. M. Levy, and A. Pardi

Protein Folding and Chain Collapse / 1823
G. Allegra, F. Ganazzoli, F. Bignotti, and M. Bolognesi

Helix Aggregation in Peptide Crystals: Occurrence of Either All Parallel or Antiparallel Packing Motifs for α-Helices in Polymorphs of Boc-Aib-Ala-Leu-Ala-Leu-Aib-Leu-Ala-Leu-Aib-OMe / 1835
I. L. Karle, J. L. Flippen-Anderson, K. Uma, and P. Balaram

Conformational Sampling Using High-Temperature Molecular Dynamics / 1847
R. E. Bruccoleri and M. Karplus

Gel Electrophoresis of Micron-Sized Particles: A Problem and a Solution / 1863
G. A. Griess and P. Serwer

Solvent Effects on the Cooperative Order–Disorder Transition of Aqueous Solutions of Schizophyllan, a Triple-Helical Polysaccharide / 1867
T. Hirao, T. Sato, A. Teramoto, T. Matsuo, and H. Suga

RESEARCH COMMUNICATION

Fluctuation of the Solvent-Accessible Surface Area of Tuna Ferrocytochrome c / 1877
C. Zheng, C. F. Wong, and J. A. McCammon

Volume 30, 1990

Issue 1/2, 1990

Editorial / iii

Structural Versatility of Peptides from $C^{\alpha,\alpha}$-Disubstituted Glycines: Preferred Conformation of the $C^{\alpha,\alpha}$-Diphenylglycine Residue / 1
M. Crisma, G. Valle, G. M. Bonora, E. de Menego, C. Toniolo, F. Lelj, V. Barone, and F. Fraternali

Molecular Dynamics Simulation Provides a Possible Structure for Substance P-Like Peptides in Aqueous Solution / 13
O. Teleman and C.-W. von der Lieth

The Effect of Linear Anisotropies on the CD Spectrum: Is It True That the Oriented Polyvinylalcohol Film Has a Magic Chiral Domain Inducing Optical Activity in Achiral Molecules? / 25
Y. Shindo and M. Nishio

The Europium(III)-Induced Conformational Transitions of Poly(dG-dC) · Poly(dG-dC) and Poly(dG-m^5dC) · Poly(dG-m^5dC) as Studied by Europium(III) Luminescence, UV, and CD Spectroscopy / 33
S. L. Klakamp and W. D. Horrocks, Jr.

Application of the Distance Geometry Algorithm to Cyclic Oligopeptide Conformation Searches / 45
C. E. Peishoff, J. S. Dixon, and K. D. Kopple

Phase Transitions of Concentrated DNA Solutions in Low Concentrations of 1:1 Supporting Electrolyte / 57
T. E. Strzelecka and R. L. Rill

Crystal Structure and Solution Conformation of S,S'-bis(Boc-Cys-Ala-OMe): Intramolecular Antiparallel β-Sheet Conformation of an Acyclic Cystine Peptide / 73
P. A. Raj, S. D. Soni, N. Ramasubbu, K. K. Bhandary, and M. J. Levine

Determination of Eigenvectors in DNA Polymer Spectroscopy by Isotopic Substitution / 87
L. L. Van Zandt and V. K. Saxena

A Polarized and Depolarized Dynamic Light Scattering Study of the $tRNA^{Phe}$ Conformation in Solution / 93
A. Patkowski, W. Eimer, and Th. Dorfmüller

Helix–Coil Stability Constants for the Naturally Occurring Amino Acids in Water. XXIII. Proline Parameters from Random Poly(Hydroxybutylglutamine-co-L-Proline) / 107
K.-H. Altmann, J. Wójcik, M. Vásquez, and H. A. Scheraga

Helix–Coil Stability Constants for the Naturally Occurring Amino Acids in Water. XXIV. Half-Cystine Parameters from Random Poly(Hydroxybutylglutamine-co-S-Methylthio-L-Cysteine) / 121
J. Wójcik, K.-H. Altmann, and H. A. Scheraga

Monte Carlo Method Applied in the Search for Low-Energy Conformations of $\beta\alpha\beta\alpha\beta$ Structures / 135
L. Carlacci and K.-C. Chou

Polarized Electronic Spectra of Z-DNA Single Crystals / 151
P. S. Ho, G. Zhou, and L. B. Clark

On the Multiple-Minima Problem in the Conformational Analysis of Polypeptides. IV. Application of the Electrostatically Driven Monte Carlo Method to the 20-Residue Membrane-Bound Portion of Melittin / 165
D. R. Ripoll and H. A. Scheraga

A Simple Statistical Field Theory of Heteropolymer Collapse with Application to Protein Folding / 177
J. D. Bryngelson and P. G. Wolynes

Cyclic β-Alanyl-β-Alanine Containing Peptides: A New Molecular Tool for β-Turned Peptides / 189
V. Pavone, A. Lombardi, X. Yang, C. Pedone, and B. Di Blasio

Stereochemical Behavior of Acyclic Peptide–Cation Complexes / 197
M. Grimaldi, F. Rossi, M. Saviano, E. Benedetti, V. Pavone, and C. Pedone

RESEARCH COMMUNICATIONS

Molecular Dynamics Simulation of the Solution Structure of the C-Terminal Fragment of L7/L12 Ribosomal Protein / 205
J. Åqvist and O. Tapia

A New Chiral Feature in α-Helical Domains of Proteins / 211
G. M. Maggiora, P. G. Mezey, B. Mao, and K. C. Chou

A New Mechanism of Mechanochemical Coupling: Stretch-Induced Increase in Carboxyl pK_a as a Diagnostic / 215
D. W. Urry, S. Q. Peng, L. Hayes, J. Jaggard, and R. D. Harris

Size and Shape Parameter of the Actin-Binding Protein Profilin in Solution: A Depolarized and Polarized Dynamic Light Scattering Study / 219
A. Patkowski, J. Seils, F. Buß, B. M. Jockusch, and Th. Dorfmüller

Drug–DNA Binding Specificity: Binding of Netropsin and Distamycin to Poly(d2NH_2A-dT) / 223
D. Dasgupta, F. B. Howard, V. Sasisekharan, and H. T. Miles

Issue 3/4, 1990

Dynamic Bending Rigidity of DNA / 229
L. Song and J. M. Schurr

The Solution Conformations of Ferrichrome and Deferriferrichrome Determined by ^{1}H-NMR Spectroscopy and Computational Modeling / 239
K. L. Constantine, A. De Marco, M. Madrid, C. L. Brooks III, and M. Llinás

Computer Modeling Studies of Ribonuclease T_1-Guanosine Monophosphate Complexes / 257
P. V. Balaji, W. Saenger, and V. S. R. Rao

Studies on the Conformation of and Metal Ion Binding by Teichoic Acid of *Staphylococcus aureus* / 273
M. K. Pal, T. C. Ghosh, and J. K. Ghosh

Mechanical Properties of DNA Films / 279
S. G. Gevorkian and E. E. Khudaverdian

Conformational Studies on Peptides with Proline in the Right-Handed α-Helical Region / 287
R. Sankararamakrishnan and S. Vishveshwara

A Hydrodynamic Study with Quasielastic Light Scattering and Sedimentation of Bacterial Elongation Factor EF-Tu · Guanosine-5′-Diphosphate Complex Under Nonassociating Conditions / 299
T. Sam, C. Pley, and M. Mandel

Anomalously Slow Electrophoretic Mobilities of DNA Restriction Fragments in Polyacrylamide Gels Are Not Eliminated by Increasing the Gel Pore Size / 309
A. Stellwagen and N. C. Stellwagen

Secondary Structure Effects on the Interaction of Different Polynucleotides with Ca^{2+} / 325
G. Manzini, L. E. Xodo, F. Fogolari, and F. Quadrifoglio

A Hierarchical "Nesting" Approach to Describe the Stability of Alpha Helices with Side-Chain Interactions / 335
C. H. Robert

Theoretical Analysis of Deoxycytidine-5′-Phosphate Protonation / 349
E. B. Starikov and Y. F. Pedash

Helix-Coil Transition in Polypeptides: A Microscopical Approach / 357
N. S. Ananikyan, S. A. Hajryan, E. S. Mamasakhlisov, and V. F. Morozov

Solvent Effect on the Stability of Isomaltose Conformers / 369
I. Tvaroska, A. Imberty, and S. Pérez

Thermal Unfolding of Helices of a C-Peptide Analogue of Ribonuclease A in Sodium Dodecyl Sulfate Solution / 381
C.-S. C. Wu and J. T. Yang

Global Fluctuations of the Immunoglobulin Domains Under Physiological Conditions / 389
Y. Kawata and K. Hamaguchi

Synthetic and Conformational Studies on Dehydroalanine-Containing Model Peptides / 395
A. Gupta and V. S. Chauhan

Problems of CD Spectrometers (V): Can We Measure CD and LD Simultaneously? Comments on Differential Polarization Microscopy (CD and Linear Dichroism) / 405
Y. Shindo, M. Nishio, and S. Maeda

Temporary Network Formation of Hyaluronate Under a Physiological Condition. 1. Molecular-Weight Dependence / 415
T. Yanaki and T. Yamaguchi

Size, Shape Parameters and Ca^{2+}-Induced Conformational Change of the Gelsolin Molecule: A Dynamic Light Scattering Study / 427
A. Patkowski, J. Seils, H. Hinssen, and T. Dorfmüller

Bond-Optimized Ring Closure for Proline: Comparison of Conformations and Semiempirical Energies with Small Molecule X-ray Structures / 437
K. A. Thomasson and J. Applequist

On the Physicochemical Properties of Gellan Gum / 451
M. Milas, X. Shi, and M. Rinaudo

Complete Assignment of the Noncarbonylic Carbon-13 Resonances of Tendamistat / 465
H. Kessler, P. Schmieder, and W. Bermel

RESEARCH COMMUNICATION

Counterion Effects on the Far-IR Vibrational Spectra of Poly(rI) · Poly(rC) / 477
T. Weidlich, J. W. Powell, L. Genzel, and A. Rupprecht

Issue 5/6, 1990

An Optimal Formulation of the Matrix Method in Statistical Mechanics of One-Dimensional Interacting Units: Efficient Iterative Algorithmic Procedures / 481
E. Yeramian, F. Schaeffer, B. Caudron, P. Claverie, and H. Buc

Analysis of Dihedral Angles Distribution: The Doublets Distribution Determines Polypeptides Conformations / 499
R. Unger, D. Harel, S. Wherland, and J. L. Sussman

Bicyclic Peptides: Solid State Conformation of cyclo(Glu-Leu-Pro-Gly-Lys-Leu-Pro-Gly) cyclo(1γ-5ϵ)Gly / 509
B. Di Blasio, E. Benedetti, V. Pavone, C. Pedone, M. Saviano, G. Zanotti, and E. R. Blout

A Study of Model Energetics and Conformational Properties of Polynucleotide Triplexes / 517
H. W. Th. Van Vlijmen, G. L. Ramé, and B. M. Pettitt

Conformational Analysis and Helical Preferences of Normal and α,α-Dialkyl Amino Acids / 533
E. E. Hodgkin, J. D. Clark, K. R. Miller, and G. R. Marshall

Hydrodynamic Study of Flexibility in Immunoglobulin IgG1 Using Brownian Dynamics and the Monte Carlo Simulations of a Simple Model / 547
F. G. Díaz, A. Iniesta, and J. García de la Torre

Theory of Acoustic Mode Vibrations of DNA Fibers / 555
J. B. Sokoloff

Structure of the Hydration Shells of Oligo(dA-dT) · Oligo(dA-dT) and Oligo(dA) · Oligo(dT) Tracts in B-Type Conformation on the Basis of Monte Carlo Calculations / 563
F. Eisenhaber, V. G. Tumanyan, and R. A. Abagyan

NMR Conformational Analysis of Cyclopeptidic Substrates of Serine Proteases, Containing an *ortho* or *meta* Aminobenzoic Acid Residue / 583
O. Convert, J.-P. Mazaleyrat, M. Wakselman, I. Morize, and M. Reboud-Ravaux

Amide III Frequencies for Ala-X Peptides Depend on the X Amino Acid Size / 593
J. L. Weaver and R. W. Williams

Relation between Calculated Amide Frequencies and Solution Structure in Ala-X Peptides / 599
R. W. Williams, J. L. Weaver, and A. H. Lowrey

Thermodynamics of Polymolecular Duplexes between Phosphate-Methylated DNA and Natural DNA / 609
M. R. Moody, M. H. P. van Genderen, and H. M. Buck

Condensation of DNA by Trivalent Cations. 1. Effects of DNA Length and Topology on the Size and Shape of Condensed Particles / 619
P. G. Arscott, A.-Z. Li, and V. A. Bloomfield

Condensation of DNA by Trivalent Cations. 2. Effects of Cation Structure / 631
G. Eric Plum, P. G. Arscott, and V. A. Bloomfield

RESEARCH COMMUNICATIONS

Molecular Topology and Dimerization of Recombinant Bovine Somatotropin / 645
B. Mao

Issue 7/8, 1990

Dielectric Study on Hydration of B-, A-, and Z-DNA / 649
T. Umehara, S. Kuwabara, S. Mashimo, and S. Yagihara

The Effect of Conformation on the CD of Interacting Helices: A Theoretical Study of Tropomyosin / 657
T. M. Cooper and R. W. Woody

Dynamics of F-Actin and F-Actin/Filamin Networks as Studied by Photon Correlation Spectroscopy / 677
J. Seils, B. M. Jockusch, and Th. Dorfmuller

Hydration Effects on Dynamics of Polyglycine and Sodium Poly(L-Glutamate) / 691
S. D. Kennedy and R. G. Bryant

Excluded Volume Effects on the Partition of Macromolecules Between Two Liquid Phases / 703
S. B. Zimmerman and S. O. Trach

Synthetic Peptide Helices in Crystals: Structure and Antiparallel and Skewed Packing Motifs for α-Helices in Two Isomeric Decapeptides / 719
I. L. Karle, J. L. Flippen-Anderson, K. Uma, and P. Balaram

Randomness in the Heparin Polymer: Computer Simulations of Alternative Action Patterns of Heparin Lyase / 733
D. M. Cohen and R. J. Linhardt

Raman Spectroscopic Study of the Effects of Ca^{2+}, Mg^{2+}, Zn^{2+}, and Cd^{2+} Ions on Calf Thymus DNA: Binding Sites and Conformational Changes / 743
M. Langlais, H. A. Tajmir-Riahi, and R. Savoie

Conditions for the Stability of the Alternative Structures of Duplex Poly(dA-dT) / 753
D. M. Loprete and K. A. Hartman

Environment-Dependent Conformation of Boc-Pro-Ser-$NHCH_3$ / 763
A. Perczel, M. Hollósi, V. Fülöp, A. Kálmán, P. Sándor, and G. D. Fasman

Thermodynamics Cycle-Perturbation Study of the Binding of Trifluoroacetyl Dipeptide Anilide Inhibitors with Porcine Pancreatic Elastase / 773
B. Lesyng and E. F. Meyer, Jr.

Dynamic Properties of the First Enzymatic Reaction Steps of Porcine Pancreatic Elastase. How Rigid Is the Active Site of the Native Enzyme? Molecular Dynamics Simulation / 781
M. Geller, G. Carlson-Golab, B. Lesyng, S. M. Swanson, and E. F. Meyer, Jr.

Saturation Photodimerization of Thymines in DNA / 797
J. Texter

A ^{23}Na-NMR Study of Sodium-DNA Interactions in Concentrated DNA Solutions at Low-Supporting Electrolyte Concentration / 803
T. E. Strzelecka and R. L. Rill

Experimental Evidence for Predicted Transmembrane Peptide Topography: Incorporation of Hydrophobic Peptide α-Helical Rods with an N-Terminal Positive Charge Having a Length Comparable to the Thickness of Lipid Bilayers into the Membranes / 815
R. Katakai, K. Wanikawa, and K. Saga

Poly[d(Gm^5C) · d(Gm^5C)] Can Assume the Z' Form: A CD Study / 821
L. Zhong and W. C. Johnson, Jr.

Thermodynamics Stability of the 5' Dangling-Ended DNA Hairpins Formed from Sequences 5'-$(XY)_2GGATAC(T)_4GTATCC$-3', Where X, Y = A, T, G, C / 829
M. J. Doktycz, T. M. Paner, M. Amaratunga, and A. S. Benight

Synthesis and ^{1}H-NMR Studies of α-Deuterated Analogues of *Des*-Trp^1, Nle^{12}-Human Minigastrin / 847
K. Amonraksa, M. Simonetti, S. Da Rin-Fioretto, S. Mammi, and E. Peggion

RESEARCH COMMUNICATION

Conformational Study of a Somatostatin Analogue in DMSO/Water by 2D NMR / 855
P. Verheyden, W. Francq, H. Pepermans, and G. Van Binst

Issue 9/10, 1990

Correlation Between Dinucleotide Periodicities and Nucleosome Positioning on Mouse Satellite DNA / 861
H. Lowman and M. Bina

Counterion Effects on the Physical Properties and the A to B Transition of Calf-Thymus DNA Films / 877
N. Lavalle, S. A. Lee, and A. Rupprecht

The Role of Extrahelical Peptides in Stabilization of Collagen Fibrils / 889
D. G. Wallace

Opioid Peptides in Micellar Systems: Conformational Analysis by CD and by One-Dimensional and Two-Dimensional ^{1}H-NMR Spectroscopy / 899
L. Zetta, R. Consonni, A. De Marco, R. Longhi, E. Manera, and G. Vecchio

Crystal and Molecular Structure of Boc-D-Ala-ΔPhe-Gly-ΔPhe-D-Ala-OMe: A 3_{10}-Helical Dehydropeptide / 911
M. R. Ciajolo, A. Tuzi, C. R. Pratesi, A. Fissi, and O. Pieroni

The Thermal Denaturation of Nonpolymerizable αα-Tropomyosin and Its Segments as a Function of Ionic Strength / 921
J. Mo, M. E. Holtzer, and A. Holtzer

Ab initio Self-Consistent Field and Potential-Dependent Partial Equalization of Orbital Electronegativity Calculations of Hydration Properties of N-Acetyl-N′-Methyl-Alanineamide / 929
J. A. Grant, R. L. Williams, and H. A. Scheraga

The Effect of the L-Azetidine-2-Carboxylic Acid Residue on Protein Conformation. I. Conformations of the Residue and of Dipeptides / 951
A. Zagari, G. Némethy, and H. A. Scheraga

The Effect of the L-Azetidine-2-Carboxylic Acid Residue on Protein Conformation. II. Homopolymers and Copolymers / 961
A. Zagari, G. Némethy, and H. A. Scheraga

The Effect of the L-Azetidine-2-Carboxylic Acid Residue on Protein Conformation. III. Collagen-Like Poly(tripeptide)s / 967
A. Zagari, G. Némethy, and H. A. Scheraga

Internal Dynamics of tRNA^{Phe} Studied by Depolarized Dynamic Light Scattering / 975
A. Patkowski, W. Eimer, and Th. Dorfmüller

α-Helix to Random Coil Transitions of Two-Chain Coiled Coils: Experiments on the Thermal Denaturation of Isolated Segments of αα-Tropomyosin / 985
M. E. Holtzer and A. Holtzer

RESEARCH COMMUNICATION

Phase Separation and Hydrogen Bonding in Cells of the Ocular Lens / 995
J. I. Clark

Issue 11/12, 1990

Partial Molar Volumes of Polypeptides and Their Constituent Groups in Aqueous Solution over a Broad Temperature Range / 1001
G. I. Makhatadze, V. N. Medvedkin, and P. L. Privalov

Conformational Search in Enkephalin Analogues Containing a Disulfide Bond / 1011
M. Froimowitz

The Influence of Macromolecular Crowding on Thermodynamic Activity: Solubility and Dimerization Constants for Spherical and Dumbbell-Shaped Molecules in a Hard-Sphere Mixture / 1027
O. G. Berg

Synthesis and Peptide Bond Orientation in Tetrapeptides Containing L-Azetidine-2-Carboxylic Acid and L-Proline / 1039
F.-H. Tsai, C. G. Overberger, and R. Zand

Multiple Helix–Coil Transitions / 1051
D. B. Dupré

Chiroptical Labeling of Folded Polypeptide Conformations: The Thioamide Probe / 1061
M. Hollósi, E. Kollát, J. Kajtár, M. Kajtár, and G. D. Fasman

Random Coil Scission Rates Determined by Time-Dependent Total Intensity Light Scattering: Hyaluronate Depolymerization by Hyaluronidase / 1073
W. F. Reed, C. E. Reed, and L. D. Byers

Restrained and Unrestrained Molecular Dynamics Simulations in the NVT Ensemble of Alamethicin / 1083
F. Fraternali

Apparent Persistence Lengths and Diffusion Behavior of High Molecular Weight Hyaluronate / 1101
S. Ghosh, X. Li, C. E. Reed, and W. F. Reed

A General Secular Equation for Cooperative Binding of n-mer Ligands to a One-Dimensional Lattice / 1113
Y.-D. Chen

Determination of the Conformation of Lewis Blood Group Oligosaccharides by Simulation of Two-Dimensional Nuclear Overhauser Data / 1123
P. Cagas and C. A. Bush

The Secondary Structure of Turkey Gizzard Myosin Light Chain Kinase and the Nature of Its Interaction with Calmodulin / 1139
L. Garone, S. Albaugh, and R. F. Steiner

Issue 13/14, 1990

The Effects of Ligands on the Conformation of Phosphoglycerate Kinase: Fluorescence Anisotropy Decay and Theoretical Interpretation / 1151
L. Mouawad, M. Desmadril, D. Perahia, J. M. Yon, and J.-C. Brochon

The Reliability of Wormlike Polysaccharide Chain Dimensions Estimated from Electron Micrographs / 1161
B. T. Stokke and D. A. Brant

A Fourier Transform IR Study of the Gelation of Amylose and Amylopectin / 1183
B. J. Goodfellow and R. H. Wilson

Approach to the Limit of Counterion Condensation / 1191
M. O. Fenley, G. S. Manning, and W. K. Olson

A Numerical Counterion Condensation Analysis of the B-Z Transition of DNA / 1205
M. O. Fenley, G. S. Manning, and W. K. Olson

On the Kinetics of Oligomer Binding / 1215
D. Poland

α-Helix to Random-Coil Transitions of Two-Chain Coiled Coils: The Use of Physical Models in Treating Thermal Denaturation Equilibria of Isolated Subsequences of $\alpha\alpha$-Tropomyosin / 1231
A. Holtzer and M. E. Holtzer

Quantitative IR Spectrophotometry of Peptide Compounds in Water (H_2O) Solutions. I. Spectral Parameters of Amino Acid Residue Absorption Bands / 1243
S. Yu. Venyaminov and N. N. Kalnin

Quantitative IR Spectrophotometry of Peptide Compounds in Water (H_2O) Solutions. II. Amide Absorption Bands of Polypeptides and Fibrous Proteins in α-, β-, and Random Coil Conformations / 1259
S. Yu. Venyaminov and N. N. Kalnin

Quantitative IR Spectrophotometry of Peptide Compounds in Water (H_2O) Solutions. III. Estimation of the Protein Secondary Structure / 1273
N. N. Kalnin, I. A. Baikalov, and S. Yu. Venyaminov

The Molecular Dimensions of G-Actin in Solution as Studied by Dynamic Light Scattering / 1281
A. Patkowski, W. Eimer, J. Seils, G. Schneider, B. M. Jockusch, and Th. Dorfmuller

RESEARCH COMMUNICATIONS

The Optical Anisotropy of Wormlike Chains / 1289
D. Porschke and G. Nolte

^{1}H-NMR Assignments and Conformational Studies of Melanin Concentrating Hormone in Water Using Two-Dimensional NMR / 1291
T. O. Matsunaga, C. A. Gehrig, and V. J. Hruby

Subject Index / 1299

Volume Contents / 1305

Author Index / 1323